

- Ultra Flat BLS picture tube
- Wide Screen Modes
- **Smart Picture**
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- **Incredibles Surround**
- Easy Tune (ATS/ACI)
- Daily on/off clock





















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- · Daily on/off clock



















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- · Daily on/off clock


















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- Daily on/off clock

















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- · Daily on/off clock




















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- · Daily on/off clock

















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- Daily on/off clock



Black Line D













- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- · Daily on/off clock



Black Line D











- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- · Daily on/off clock


















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- · Daily on/off clock















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- · Daily on/off clock















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- · Daily on/off clock

















## · Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

#### Contrast Plus and Colour Transient Improvement

For a picture with more contrast and nicer colours.

### · Acoustic Horns

Which allows the sound to be projected to the front of the cabinet.

#### · Incredible Surround

Which increases the stereo effect by better filling the room.

## Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

### · Viewing modes

- Conventional 4:3
- Zoom 14:9
- Zoom 16:9
- Subtitle Zoom
- Super Zoom
- Wide screen

## · Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

# **Supporting Features**

#### · Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

## · Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

## · Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

## **Technical specifications**

#### Chassis

• Type : Mid 1.2

## **Picture**

Screen diameter
Visible diagonal
Picture tube
70 cm FSQ
66 cm
16x9 U-BLS

- · S-Video display
- · Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- · Settings via menu of:
- Brightness, Colour, Contrast, Sharpness, Tint,
  Noise reduction
- · Game and Digital optimal settings
- Scavem

### Sound

Sound systemLoudspeakers2 speakers stereo2x5" acoustic horn

Output (RMS) : 24WFrequency respons : 60Hz-20Hz

+1/-3dB (amplifier)
Incredible surround : switchable by menu

Bi-langual switch on remote control

Smart control key on remote control for four

independent sound settings

Headphone with independent volume control

Settings via menu of :

 Treble, Bass, Balance, Incredible surround, Headphone volume

## Operation

- Easy menu-driven installation and operation
- Multi-language selection for menu
- Automatic Channel Installation (ACI)
- 100 preselections
- Programme name for all programmes
- Easy Logic remote control with VCR functions
- Personal Preference setting per programme

Release date : March 1997
Predecessor(s) : 28PW6301
Date of issue : December 1998

- · ATS (Automatic Tuning System)
- Learning knob for direct access to menu functions
- · Direct access for picture, sound and feature menu
- Sleeptimer up to 180 minutes
- Daily on/off clock, to program automatic switch on and off
- Smart Clock for automatic downloding of the internal clock
- · Electronic lock
- · Program title display (transmitted by teletext)
- Message mode

## Teletext

- · Reception standards : WST/TOP/FLOF
- 8 pages of Teletext memory
- Teletext time with one button on the remote control
- · Favourite page

## Reception

SECAM B/G/L/L' D/K/K' PAL B/G/D/K

SECAM B/G/D/K/K'

NTSC playback : 4,43 MHz

Channel selections : VHF, UHF, S-Channels, Hyperband

Frequency range
 Aerial input
 Trequency range
 47.25-855.25 MHz
 Ohm (Coax)

### Connections

- · Side
- Stereo headphone out (3.5 mm jack)
- S-VHS in
- Audio L/R in (cinch)
- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out - EXT2 : CVBS-in/out + Y/C in - Audio out L/R constant level (cinch)

## Remote control

RC type : RC 7535

## Miscellaneous

• Ambient temperature: +5/+55°C

Mains : AC220-240V ±10%

• Power consumption: 110W

Stand-by power cons: 3W at 220VW
Weight excl pack : 33 kg
Weight incl. pack : 41 kg

Dimensions:

excl. pack (wxhxd) : 75.2x46.0x49.2 cm
incl. pack (wxhxd) : 86.0x59.6x.62.6 cm
Cabinet Painting : Mid Grey 10763



RC 7535







## · Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

#### Contrast Plus and Colour Transient **Improvement**

For a picture with more contrast and nicer colours.

## **Acoustic Horns**

Which allows the sound to be projected to the front of the cabinet.

#### Incredible Surround

Which increases the stereo effect by better filling the room.

#### Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

## · Viewing modes

- Conventional 4:3
- Zoom 14:9 - Zoom 16:9
- Subtitle Zoom
- Super Zoom
- Wide screen

### Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

# Supporting Features

#### · Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

### Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

### · Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

## Technical specifications

## Chassis

: Mid 1.2 Type

#### **Picture**

Screen diameter : 70 cm FSQ Visible diagonal : 66 cm 16x9 U-BLS Picture tube

S-Video display

- Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- Settings via menu of:
  - Brightness, Colour, Contrast, Sharpness, Tint, Noise reduction
- Game and Digital optimal settings
- Scavem

### Sound

Sound system 2 speakers stereo Loudspeakers 2x5" acoustic horn

Output (RMS) 24W Frequency respons 60Hz-20Hz

+1/-3dB (amplifier)

Incredible surround : switchable by menu

Bi-langual switch on remote control

Smart control key on remote control for four independent sound settings

Headphone with independent volume control

Settings via menu of :

- Treble, Bass, Balance, Incredible surround, Headphone volume

## Operation

Easy menu-driven installation and operation

Multi-language selection for menu

Automatic Channel Installation (ACI)

100 preselections

Programme name for all programmes

Easy Logic remote control with VCR functions

Personal Preference setting per programme

Release date : March 1997 Predecessor(s) 28PW6301 December 1998 Date of issue

#### · ATS (Automatic Tuning System)

- · Learning knob for direct access to menu
- Direct access for picture, sound and feature menu
- Sleeptimer up to 180 minutes
- · Daily on/off clock, to program automatic switch
- Smart Clock for automatic downloding of the internal clock
- Electronic lock
- · Program title display (transmitted by teletext)
- · Message mode

## Teletext

· Reception standards : WST/TOP/FLOF

8 pages of Teletext memory

Teletext time with one button on the remote control

· Favourite page

## Reception

Tuning system : 100 fold PLL Colour transmission system off air: /00, /11 PAL B/G PAL B/G/L/I SECAM B/G/L/L' D/K/K'

PAL B/G/D/K SECAM B/G/D/K/K'

· NTSC playback 4.43 MHz VHE UHE Channel selections

S-Channels, Hyperband

· Frequency range 47.25-855.25 MHz · Aerial input : 75 Ohm (Coax)

### Connections

- Side
- Stereo headphone out (3.5 mm jack)
- S-VHS in
- Audio L/R in (cinch)
- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out : CVBS-in/out + Y/C in - FXT2 - Audio out L/R constant level (cinch)

## Remote control

 RC type : RC 7535

## Miscellaneous

Ambient temperature: +5/+55°C

Mains AC220-240V ±10%

Power consumption: 110W

Stand-by power cons: 3W at 220VW Weight excl pack 33 kg Weight incl. pack 41 kg

Dimensions:

excl. pack (wxhxd) : 75.2x46.0x49.2 cm incl. pack (wxhxd) : 86.0x59.6x.62.6 cm · Cabinet Painting Mid Grey 10763



RC 7535







## · Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

#### Contrast Plus and Colour Transient Improvement

For a picture with more contrast and nicer colours.

## Acoustic Horns

Which allows the sound to be projected to the front of the cabinet.

#### · Incredible Surround

Which increases the stereo effect by better filling the room.

#### Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

### · Viewing modes

- Conventional 4:3
- Zoom 14:9 - Zoom 16:9
- Cubalitia Zaar
- Subtitle Zoom
- Super Zoom
- Wide screen

## · Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

# **Supporting Features**

#### · Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

### · Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

## Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

#### Information Line

Which indicates the currently watched program title.

## Technical specifications

## Chassis

• Type : Mid 1.2

#### **Picture**

Screen diameter
Visible diagonal
Picture tube
70 cm FSQ
66 cm
16x9 U-BLS

- · S-Video display
- · Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- Settings via menu of:
  - Brightness, Colour, Contrast, Sharpness, Tint, Noise reduction
- · Game and Digital optimal settings
- Scavem

### Sound

Sound system : 2 speakers stereoLoudspeakers : 2x5" acoustic horn

Output (RMS) : 24WFrequency respons : 60Hz-20Hz

+1/-3dB (amplifier)

Incredible surround : switchable by menu

Bi-langual switch on remote control

 Smart control key on remote control for four independent sound settings

Headphone with independent volume control

· Settings via menu of :

- Treble, Bass, Balance, Incredible surround, Headphone volume

## Operation

Easy menu-driven installation and operation

Multi-language selection for menu

Automatic Channel Installation (ACI)

· 100 preselections

Programme name for all programmes

Easy Logic remote control with VCR functions

Personal Preference setting per programme

Release date : March 1997
Predecessor(s) : 28PW6301
Date of issue : December 1998

· ATS (Automatic Tuning System)

Learning knob for direct access to menu functions

· Direct access for picture, sound and feature menu

Sleeptimer up to 180 minutes

 Daily on/off clock, to program automatic switch on and off

- Smart Clock for automatic downloding of the internal clock
- · Electronic lock
- · Program title display (transmitted by teletext)
- · Message mode

## Teletext

· Reception standards : WST/TOP/FLOF

8 pages of Teletext memory

 Teletext time with one button on the remote control

· Favourite page

# Reception

Tuning system : 100 fold PLL
 Colour transmission system off air: /00, /11 PAL B/G /01 PAL B/G/L/I SECAM B/G/L/L'

D/K/K' PAL B/G/D/K SECAM B/G/D/K/K'

NTSC playback : 4,43 MHz
 Channel selections : VHF, UHF.

S-Channels, Hyperband

Frequency range : 47.25-855.25 MHzAerial input : 75 Ohm (Coax)

### Connections

Side

- Stereo headphone out (3.5 mm jack)

- S-VHS in

- Audio L/R in (cinch)

- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out - EXT2 : CVBS-in/out + Y/C in - Audio out L/R constant level (cinch)

## Remote control

• RC type : RC 7535

## Miscellaneous

• Ambient temperature: +5/+55°C

Mains : AC220-240V ±10%

• Power consumption : 110W

Stand-by power cons: 3W at 220VWWeight excl pack: 33 kg

Weight incl. packDimensions:

- excl. pack (wxhxd) : 75.2x46.0x49.2 cm - incl. pack (wxhxd) : 86.0x59.6x.62.6 cm • Cabinet Painting : Mid Grey 10763

41 kg



RC 7535







## · Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

## Contrast Plus and Colour Transient **Improvement**

For a picture with more contrast and nicer colours.

### Acoustic Horns

Which allows the sound to be projected to the front of the cabinet.

#### Incredible Surround

Which increases the stereo effect by better filling the room.

#### Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

## · Viewing modes

- Conventional 4:3
- Zoom 14:9 - Zoom 16:9
- Subtitle Zoom
- Super Zoom
- Wide screen

## Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

# Supporting Features

#### · Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

### Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

## · Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

## Technical specifications

## Chassis

: Mid 1.2 Type

#### **Picture**

Screen diameter : 70 cm FSQ Visible diagonal : 66 cm 16x9 U-BLS Picture tube

S-Video display

- Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- Settings via menu of:
- Brightness, Colour, Contrast, Sharpness, Tint, Noise reduction
- Game and Digital optimal settings
- Scavem

### Sound

Sound system 2 speakers stereo Loudspeakers 2x5" acoustic horn

Output (RMS) 24W Frequency respons 60Hz-20Hz

+1/-3dB (amplifier)

Incredible surround : switchable by menu

Bi-langual switch on remote control

Smart control key on remote control for four independent sound settings

Headphone with independent volume control

Settings via menu of :

- Treble, Bass, Balance, Incredible surround, Headphone volume

## Operation

Easy menu-driven installation and operation

Multi-language selection for menu

Automatic Channel Installation (ACI)

100 preselections

Programme name for all programmes

Easy Logic remote control with VCR functions

Personal Preference setting per programme

Release date : March 1997 Predecessor(s) 28PW6301 December 1998 Date of issue

· ATS (Automatic Tuning System)

· Learning knob for direct access to menu

Direct access for picture, sound and feature menu

Sleeptimer up to 180 minutes

· Daily on/off clock, to program automatic switch

Smart Clock for automatic downloding of the internal clock

Electronic lock

· Program title display (transmitted by teletext)

· Message mode

## Teletext

· Reception standards : WST/TOP/FLOF

8 pages of Teletext memory

Teletext time with one button on the remote control

· Favourite page

## Reception

Tuning system : 100 fold PLL Colour transmission system off air: /00, /11 PAL B/G PAL B/G/L/I SECAM B/G/L/L'

D/K/K' PAL B/G/D/K SECAM B/G/D/K/K'

· NTSC playback 4.43 MHz VHE UHE Channel selections

S-Channels, Hyperband

· Frequency range 47.25-855.25 MHz · Aerial input : 75 Ohm (Coax)

### Connections

Side

- Stereo headphone out (3.5 mm jack)

- S-VHS in

- Audio L/R in (cinch)

- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out : CVBS-in/out + Y/C in - FXT2 - Audio out L/R constant level (cinch)

## Remote control

 RC type : RC 7535

## Miscellaneous

Ambient temperature: +5/+55°C

Mains AC220-240V ±10%

Power consumption:

Stand-by power cons: 3W at 220VW Weight excl pack 33 kg Weight incl. pack 41 kg

Dimensions:

excl. pack (wxhxd) : 75.2x46.0x49.2 cm incl. pack (wxhxd) : 86.0x59.6x.62.6 cm · Cabinet Painting Mid Grey 10763



RC 7535







## · Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

#### Contrast Plus and Colour Transient Improvement

For a picture with more contrast and nicer colours.

### · Acoustic Horns

Which allows the sound to be projected to the front of the cabinet.

#### · Incredible Surround

Which increases the stereo effect by better filling the room.

#### Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

### · Viewing modes

- Conventional 4:3
- Zoom 14:9 - Zoom 16:9
- Subtitle Zoom
- Super Zoom
- Wide screen

### Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

# **Supporting Features**

#### · Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

## · Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

## · Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

## **Technical specifications**

## Chassis

• Type : Mid 1.2

## **Picture**

Screen diameter
Visible diagonal
Picture tube
70 cm FSQ
66 cm
16x9 U-BLS

- · S-Video display
- · Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- Settings via menu of:
- Brightness, Colour, Contrast, Sharpness, Tint, Noise reduction
- · Game and Digital optimal settings
- Scavem

### Sound

Sound systemLoudspeakers2 speakers stereo2x5" acoustic horn

Output (RMS) : 24WFrequency respons : 60Hz-20Hz

+1/-3dB (amplifier)

Incredible surround : switchable by menu

Bi-langual switch on remote control

 Smart control key on remote control for four independent sound settings

· Headphone with independent volume control

· Settings via menu of

- Treble, Bass, Balance, Incredible surround, Headphone volume

## Operation

- Easy menu-driven installation and operation
- Multi-language selection for menu
- Automatic Channel Installation (ACI)
- 100 preselections
- Programme name for all programmes
- Easy Logic remote control with VCR functions
- · Personal Preference setting per programme

Release date : March 1997
Predecessor(s) : 28PW6301
Date of issue : December 1998

#### · ATS (Automatic Tuning System)

- Learning knob for direct access to menu functions
- · Direct access for picture, sound and feature menu
- Sleeptimer up to 180 minutes
- Daily on/off clock, to program automatic switch on and off
- Smart Clock for automatic downloding of the internal clock
- · Electronic lock
- · Program title display (transmitted by teletext)
- Message mode

## Teletext

- · Reception standards : WST/TOP/FLOF
- 8 pages of Teletext memory
- Teletext time with one button on the remote control
- · Favourite page

## Reception

Tuning system : 100 fold PLL
 Colour transmission system off air: /00, /11 PAL B/G
 /01 PAL B/G/L/I

SECAM B/G/L/L' D/K/K' PAL B/G/D/K

SECAM B/G/D/K/K'

NTSC playback : 4,43 MHz

Channel selections : VHF, UHF, S-Channels,

Frequency rangeAerial inputHyperband47.25-855.25 MHz75 Ohm (Coax)

### Connections

- · Side
- Stereo headphone out (3.5 mm jack)
- S-VHS in
- Audio L/R in (cinch)
- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out - EXT2 : CVBS-in/out + Y/C in - Audio out L/R constant level (cinch)

## Remote control

RC type : RC 7535

## Miscellaneous

Ambient temperature: +5/+55°C

Mains : AC220-240V ±10%

· Power consumption : 110W

Stand-by power cons: 3W at 220VW
Weight excl pack : 33 kg
Weight incl. pack : 41 kg

Dimensions:

excl. pack (wxhxd) : 75.2x46.0x49.2 cm
incl. pack (wxhxd) : 86.0x59.6x.62.6 cm
Cabinet Painting : Mid Grey 10763



RC 7535







## · Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

#### Contrast Plus and Colour Transient **Improvement**

For a picture with more contrast and nicer colours.

## **Acoustic Horns**

Which allows the sound to be projected to the front of the cabinet.

#### Incredible Surround

Which increases the stereo effect by better filling the room.

#### Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

### · Viewing modes

- Conventional 4:3
- Zoom 14:9 - Zoom 16:9
- Subtitle Zoom
- Super Zoom
- Wide screen

## Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

## Supporting Features

#### · Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

### Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

### · Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

## Technical specifications

## Chassis

: Mid 1.2 Type

#### **Picture**

Screen diameter : 70 cm FSQ Visible diagonal : 66 cm 16x9 U-BLS Picture tube

· S-Video display

- · Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- Settings via menu of:
- Brightness, Colour, Contrast, Sharpness, Tint, Noise reduction
- Game and Digital optimal settings
- Scavem

### Sound

Sound system 2 speakers stereo Loudspeakers 2x5" acoustic horn

Output (RMS) 24W Frequency respons 60Hz-20Hz

+1/-3dB (amplifier) Incredible surround : switchable by menu

Bi-langual switch on remote control

Smart control key on remote control for four independent sound settings

Headphone with independent volume control

Settings via menu of :

- Treble, Bass, Balance, Incredible surround, Headphone volume

## Operation

Easy menu-driven installation and operation

Multi-language selection for menu

Automatic Channel Installation (ACI)

100 preselections

Programme name for all programmes

Easy Logic remote control with VCR functions

Personal Preference setting per programme

Release date : March 1997 Predecessor(s) 28PW6301 December 1998 Date of issue

ATS (Automatic Tuning System)

· Learning knob for direct access to menu

Direct access for picture, sound and feature menu

Sleeptimer up to 180 minutes

· Daily on/off clock, to program automatic switch

Smart Clock for automatic downloding of the internal clock

Electronic lock

· Program title display (transmitted by teletext)

· Message mode

## Teletext

· Reception standards : WST/TOP/FLOF

8 pages of Teletext memory

Teletext time with one button on the remote control

· Favourite page

# Reception

Tuning system : 100 fold PLL Colour transmission system off air: /00, /11 PAL B/G PAL B/G/L/I SECAM B/G/L/L'

D/K/K' PAL B/G/D/K SECAM B/G/D/K/K'

· NTSC playback 4,43 MHz VHE UHE Channel selections

S-Channels, Hyperband

· Frequency range 47.25-855.25 MHz · Aerial input : 75 Ohm (Coax)

### Connections

Side

- Stereo headphone out (3.5 mm jack)

- S-VHS in

- Audio L/R in (cinch)

- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out : CVBS-in/out + Y/C in - FXT2 - Audio out L/R constant level (cinch)

## Remote control

 RC type : RC 7535

## Miscellaneous

Ambient temperature: +5/+55°C

Mains AC220-240V ±10%

Power consumption: 110W

Stand-by power cons: 3W at 220VW Weight excl pack 33 kg

Weight incl. pack Dimensions:

excl. pack (wxhxd) : 75.2x46.0x49.2 cm incl. pack (wxhxd) : 86.0x59.6x.62.6 cm · Cabinet Painting Mid Grey 10763

41 kg



RC 7535



